

Installation & Care Instructions

RIFCO

EST. 1975



PLEASE READ BEFORE INSTALLATION



Installer

Rifco products **MUST** be installed by a licensed tradesperson. Please check the product for any damaged **PRIOR** to commencing work. Installation of product constitutes acceptance of the product in its current condition, specifications, and finish.



Home Owner

Please read the important warranty, care & maintenance information inside and keep for future reference.

PLEASE READ BEFORE INSTALLATION

- ☐ This product must be installed by a qualified tradesperson
- ☐ Please inspect the product **BEFORE** installation for any damage, defects, errors with workmanship or specifications. **PLEASE NOTE:** No claims for damage or incorrect product will be accepted after 48 hours of delivery.
- ☐ Installation of this product constitutes acceptance of its colour, design, size and style.
- ☐ It is the responsibility of the installer to make required adjustments to the doors, drawers or drawer bases.

If for some reason this product is not in good order and condition, or does not meet your expectations, **STOP INSTALLATION IMMEDIATELY** and contact place of purchase or contact Rifco. Warranty claims will not be accepted after the product has been installed. Rifco is **NOT ACCOUNTABLE** for any costs incurred due to damaged products being rejected after installation.

Service Call Out Fee

Should there be an issue with your Rifco product that is covered under the Rifco Warranty Policy, no call out fee will be charged.

If a Rifco representative is called out for things not covered under warranty such as door or drawer alignment or the installer has not followed the installation instructions correctly, a **service call out fee of \$300** (incl. GST) will be applied.

Note: Response times will vary depending on technician availability.

Pre-Installation Checklist

✓ Check Product for Damage

Inspect the product for damage or defects as well as for any errors with workmanship, colour, design, style, or design. Installation constitutes acceptance of the product including style size and quality. No claims will be accepted for damages after installation or 48 hours after delivery. If you notice any issues with your Rifco product, please contact place of purchase as soon as possible and **DO NOT REMOVE** any packaging or protectors on the product.

✓ Location & Ventilation

All vanities, shaving cabinets and mirrors are manufactured using water resistant materials. However, they are not waterproof. Do not allow exposure to shower spray and eliminate moisture build-up by ensuring your new Rifco product is installed in a well-ventilated area. Exposing your bathroom furniture to high humidity and moisture build up can lead to deterioration. Water damage is not covered by warranty.

✓ Structural Support

It's important to ensure that walls are plumb as a non-plumb wall will result in doors and drawers not aligning correctly. For wall hung products, support beams between studs are required to support the fixing of your vanity or shaving cabinet.

✓ Storage (Pre-Installation)

DO NOT place cabinets on hard ground. Ensure extra care is taken with cabinet corners as hard knocks can cause damage/cracking to the mirror.

Service Call Out Fee

Should there be an issue with your Rifco product that is covered under the Rifco Warranty Policy, no call out fee will be charged.

If a Rifco representative is called out for things not covered under warranty such as door or drawer alignment or the installer has not followed the installation instructions correctly, a service call out fee of \$300 (incl. GST) will be applied.

Note: Response times will vary depending on technician availability.

Mirror Installation

Installation

Note: To install your Rifco mirror under warranty and to comply with the relevant Australian standards, the supplied approved silicone must be used (Bostik V60). Failure to do so will void warranty and may result in your mirror not adhering correctly to the wall.

1 Measure

Measure carefully and mark in pencil where you plan to install your mirror. Note: Once installed it is not possible to reposition the mirror. Most mirrors are positioned so that they are centred over fixtures such as tapware or vanities.


2 Prepare

Prepare the area where you have chosen to install your mirror. Make sure it is clean and free from any dust or grit. Also make sure the surface you are sticking the mirror to is flat and free from any raised objects such as old screws, wall plugs and old mortar. These can either distort your mirror or the mirror won't stick to the wall.

3 Install

Prepare the area where you have chosen to install your mirror. Make sure it is clean and free from any dust or grit. Also make sure the surface you are sticking the mirror to is flat and free from any raised objects such as old screws, wall plugs and old mortar. These can either distort your mirror or the mirror won't stick to the wall.

- (A) Cut the tip off silicone cartridge and nozzle to desired size (about halfway) and attach cartridge. Using a chalking gun (not supplied), extrude sufficient sealant between the double-sided tape so that you have unbroken lines approx. 1cm wide running the length of the mirror (see diagram).
- (B) Remove covers from double sided tape.
- (C) Position mirror in place and press mirror firmly onto wall. If the mirror is not resting on something (i.e. a vanity) make sure the mirror isn't slowly slipping down the wall. Use something to prop the mirror whilst it cures. See tube of silicon for relevant curing times.



Shaving Cabinet Installation

1 Lay cabinet flat on its back on a soft surface (e.g. bed or carpeted floor) so that the mirrors are facing the ceiling.

2 Carefully remove doors by unclipping them from the cabinet (see diagram).
Note: No screwdriver is required here!



3 Secure cabinet to the wall by using the appropriate screws. You will need to consider what you are screwing into.

For gyprock walls: fix cabinet to studs if possible. If not possible to locate studs, use wall anchor plugs.


For masonry walls: appropriate plugs will need to be used. Use a spirit level to not only ensure cabinet is straight but that your bathroom wall is level, otherwise your cabinet needs to be 'packed-out' with appropriate material. Ensure that all perimeter edges of the cabinet are sealed against the wall using a bathroom grade silicone.

4 Carefully attach the doors back onto the cabinet. Remove the protective packaging and re-adjust the cabinet doors (if required) with a screwdriver (see Shaving Cabinet Hinge Adjustments). Finally ensure that all screws are tight and not loose.

Shaving Cabinet Installation

Hinge Adjustments

Overlay Adjustment




Reduce Door Overlay:

Turn screw clockwise

Increase Door Overlay:


Turn screw anti-clockwise

Depth Adjustment



Direct, infinitely variable depth adjustment.

Height Adjustment



Height adjustable mounting plates permit exact alignment of door. Direct, infinitely variable height adjustment by eccentric screw.



REMEMBER

It is the responsibility of the installer to make any necessary adjustments to hinges.

Product Warranty

At Rifco quality is of the utmost importance and we are committed to maintaining high standards across all our products. Should you find any fault with either the materials or workmanship within the warranty period listed below, Rifco will, at its discretion, repair or supply a replacement for the faulty product or component.

Product	Warranty Period (Domestic)	Warranty Period (Commercial)
Vanities	7 Years	1 Year
Shaving Cabinets (excluding mirror)	7 Years	1 Year
Mirrors	1 Year	1 Year
Ceramic Tops	1 Year	1 Year
Acrylic Tops	10 Years	1 Year
Caesarstone® Tops	10 Years	1 Year
Corian® Tops	10 Years	1 Year
Solid Timber Tops	7 Years	1 Year
Luxcrete™ Tops & Basins	5 Years	1 Year
Basins	1 Year	1 Year
Lighting	1 Year	1 Year
Hardware	Lifetime	1 Year

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Warranty Conditions

1. The fault or failure lies in the manufacture of the product.
2. The product(s) must be installed by a licensed installer.
3. The product(s) must be installed according to the above Installation Instructions.
4. You can provide proof of purchase.
5. The product(s) must be cared for in accordance with the Care & Maintenance Instructions.
6. Any claim for faulty or damaged goods must be made within 48 hours from receipt of product.

It is the installers responsibility to ensure that the product(s) are in good order and condition before installation. Installation of the product(s) constitutes acceptance of its colour, design, size, and style.

No claims for damaged or incorrect goods will be recognised or accepted once the product has been installed (this included partially installed goods).

Product Warranty (Continued)

Warranty Exclusions

1. Please note that no claims for damages / defects will be recognized after installation. Installation of the product is regarded as acceptance of that product and no claims for faulty or damaged goods can be made after installation.
2. Drawer or door adjustment after installation is not covered under warranty.
3. The liability of the warranty and guarantee is limited to a replacement cabinet or part thereof of similar value and does not include any service costs or related damage.
4. This guarantee does not cover damage by improper installation, accident, misuse, abuse, neglect, negligence, excessive wear and tear, improper care and maintenance, water, and natural causes such as sunlight, humidity, and other environmental conditions.
5. Water Damage. All our cabinets are manufactured from Australian Made HMR (highly moisture resistant) board but are not waterproof. Care must be taken to immediately dry any spillage or leakage of water that may gain access to the cabinet as water damage is not a justifiable claim. Installation, cleaning, and maintenance instructions need to be followed

Warranty Certificate

Product Installed By: _____ Installation Date: _____ \ _____ \ _____

Trade License Number: _____ Installer Phone: _____

Product Name/Description: _____

Place of Purchase: _____ Date of Purchase: _____ \ _____ \ _____

Purchase Order Number: _____

Service Call Out Fee

Should there be an issue with your Rifco product that is covered under the Rifco Warranty Policy, no call out fee will be charged.

If a Rifco representative is called out for things not covered under warranty such as door or drawer alignment or the installer has not followed the installation instructions correctly, a service call out fee of \$300 (incl. GST) will be applied.

Note: Response times will vary depending on technician availability.